

New England Biolabs Certificate of Analysis

Product Name: Lambda DNA
Catalog #: N3011S/L
Concentration: 500 µg/ml
Unit Definition: N/A
Lot #: 166
Assay Date: 05/2016
Expiration Date: 05/2018

Expiration Date: 05/2018
Storage Temp: -20°C

Storage Conditions: 10 mM Tris-HCl (pH 8.0), 1 mM EDTA

Specification Version: PS-N3011S/L v2.0 Effective Date: 03 May 2016

Assay Name/Specification (minimum release criteria)	Lot #166
A260/A280 Assay - The ratio of UV absorption of Lambda DNA at 260 and 280 nm is between 1.8 and 2.0.	Pass
DNA Concentration (A260) - The concentration of Lambda DNA is between 500 and 550 μ g/ml as determined by UV absorption at 260 nm.	Pass
Electrophoretic Pattern (Linear DNA) - The banding pattern of Lambda DNA on a 1.2% agarose gel is evaluated against a control lot for sharpness and relative intensity as determined by gel electrophoresis using Ethidium Bromide.	Pass
Non-Specific DNase Activity (DNA, 16 hour) - A 50 µl reaction in 1X NEBuffer 2 containing 2.5 µg of Lambda DNA incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Restriction Digest (Correct Pattern) - A 50 μl reaction in NEBuffer 2.1 containing 2.5 μg of Lambda DNA and 20 units of HindIII incubated for 1 hour at 37°C produces the expected pattern of DNA fragments as determined by agarose gel electrophoresis.	Pass

Authorized by Derek Robinson 03 May 2016







Inspected by Vanessa Mathieu-Sheltry 18 Jul 2017