

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name:	Acul
Catalog Number:	R0641S
Concentration:	5,000 U/ml
Unit Definition:	One unit is defined as the amount of enzyme required to digest 1 $\mu$ g of Lambda DNA in 1 hour at 37°C in a total reaction volume of 50 $\mu$ l.
Packaging Lot Number:	10242758
Expiration Date:	04/2026
Storage Temperature:	-20°C
Storage Conditions:	10 mM Tris-HCl, 100 mM NaCl, 1 mM DTT, 0.1 mM EDTA, 0.32 mM S-adenosylmethionine (SAM), 50% Glycerol, 200 μg/ml BSA (pH 7.4 @ 25°C)
Specification Version:	PS-R0641S/L v3.0

Acul Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R0641SVIAL	Acul	10238062	Pass	
B6004SVIAL	rCutSmart™ Buffer	10235560	Pass	

Assay Name/Specification	Lot # 10242758
Endonuclease Activity (Nicking) A 50 µl reaction in CutSmart <sup>™</sup> Buffer containing 1 µg of supercoiled PhiX174 DNA and a minimum of 5 units of Acul incubated for 4 hours at 37°C results in <50% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Exonuclease Activity (Radioactivity Release) A 50 μl reaction in CutSmart <sup>™</sup> Buffer containing 1 μg of a mixture of single and double-stranded [ <sup>3</sup> H] E. coli DNA and a minimum of 25 units of Acul incubated for 4 hours at 37 <sup>o</sup> C releases <0.2% of the total radioactivity.	Pass
<b>Ligation and Recutting (Terminal Integrity)</b> After a 10-fold over-digestion of Lambda DNA with Acul, ~50% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, ~75% can be recut with Acul.	Pass
Non-Specific DNase Activity (16 Hour) A 50 μl reaction in CutSmart™ Buffer containing 1 μg of Lambda DNA and a minimum of 5 Units of Acul incubated for 16 hours at 37⁰C results in a DNA pattern free of	Pass





240 County Road Ipswich, MA 01938-2723

www.neb.com info@neb.com

Assay Name/Specification	Lot # 10242758
detectable nuclease degradation as determined by agarose gel electrophoresis.	
Protein Purity Assay (SDS-PAGE)	Pass
Acul is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection.	1 400

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Ana Egana Production Scientist 15 May 2024

Michae 11.

Michael Tonello Packaging Quality Control Inspector 15 May 2024

